

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
2021				
Kopfsalat				
Acetamiprid	87	7	0,169	0,043 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	19	1	0,006	0,006 mg/kg
Römischer Salat				
Acetamiprid	33	4	0,242	0,092 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	9	1	0,002	0,002 mg/kg
Chinakohl				
Acetamiprid	83	1	0,018	0,018 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,010	0,010 mg/kg
Rosenkohl				
Acetamiprid	127	1	0,001	0,001 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	27	1	0,002	0,002 mg/kg
Weißkohl Spitzkohl				
Acetamiprid	48	1	0,002	0,002 mg/kg
Grünkohl				
Acetamiprid	20	2	1,400	0,755 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,120	0,120 mg/kg
Wirsingkohl				
Acetamiprid	10	1	0,017	0,017 mg/kg
Spinat				
Acetamiprid	103	9	0,689	0,108 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	24	2	0,240	0,138 mg/kg
Petersilienblätter				
Acetamiprid	46	6	0,130	0,029 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	22	2	0,047	0,026 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Schnittlauch					
Acetamiprid	76	1	0,087	0,087	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	19	2	0,150	0,106	mg/kg
Eisbergsalat					
Acetamiprid	116	36	0,045	0,013	mg/kg
Eichblattsalat					
Acetamiprid	20	1	0,006	0,006	mg/kg
Dill					
Acetamiprid	10	2	0,087	0,044	mg/kg
Rucola					
Acetamiprid	210	47	6,200	0,588	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	38	10	0,516	0,070	mg/kg
Basilikum					
Acetamiprid	24	4	2,500	0,965	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	7	1	0,020	0,020	mg/kg
Bohnenkraut					
Acetamiprid	2	1	0,150	0,150	mg/kg
Estragon					
Acetamiprid	1	1	0,780	0,780	mg/kg
Koriander					
Acetamiprid	13	1	0,094	0,094	mg/kg
Minze					
Acetamiprid	6	1	0,210	0,210	mg/kg
Rosmarin					
Acetamiprid	5	1	0,023	0,023	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Salbei					
Acetamiprid	2	1	0,057	0,057	mg/kg
Thymian					
Acetamiprid	3	1	0,017	0,017	mg/kg
Broccoli					
Acetamiprid	164	2	0,027	0,020	mg/kg
Artischocke					
Acetamiprid	4	2	0,690	0,364	mg/kg
Tomate					
Acetamiprid	466	17	0,540	0,067	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	52	1	0,002	0,002	mg/kg
Gemüsepaprika					
Acetamiprid	482	30	0,920	0,085	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	115	19	0,110	0,015	mg/kg
Pfefferschote/Peperoni					
Acetamiprid	14	1	0,178	0,178	mg/kg
Okraschote					
Acetamiprid	5	1	0,019	0,019	mg/kg
Gurke					
Acetamiprid	203	21	0,150	0,035	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	58	17	0,013	0,004	mg/kg
Melone/Honigmelone					
Acetamiprid	130	17	0,056	0,014	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	27	3	0,011	0,005	mg/kg
Aubergine					

Nachweisliste (Acetamidrid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamidrid	216	33	0,320	0,051	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	38	11	0,008	0,002	mg/kg
Zucchini					
Acetamidrid	176	34	0,082	0,027	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	88	28	0,070	0,016	mg/kg
Puffbohne mit Schote					
Acetamidrid	3	2	0,072	0,039	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	3	2	0,006	0,004	mg/kg
Erbse mit Schote/Zuckerschote					
Acetamidrid	29	2	0,043	0,031	mg/kg
Chilischote					
Acetamidrid	23	4	0,145	0,059	mg/kg
Wassermelone					
Acetamidrid	21	1	0,006	0,006	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	6	1	0,001	0,001	mg/kg
Netzmelone					
Acetamidrid	24	8	0,020	0,011	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	4	2	0,002	0,002	mg/kg
Kantalupmelone					
Acetamidrid	35	6	0,017	0,009	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	6	2	0,001	0,001	mg/kg
Exotische Gemüse					
Acetamidrid	5	1	0,400	0,400	mg/kg
Gotukola; Indischer Wassernabel (Centella					
Acetamidrid	19	1	0,050	0,050	mg/kg
Mukunuwenna (Alternanthera sessilis (L.))					

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	14	1	0,280	0,280	mg/kg
Drumstick; Pferderettich (Moringa oleifera)					
Acetamiprid	26	1	0,011	0,011	mg/kg
Erdbeere					
Acetamiprid	568	3	0,020	0,012	mg/kg
Himbeere					
Acetamiprid	77	3	0,031	0,027	mg/kg
Brombeere					
Acetamiprid	74	15	0,180	0,051	mg/kg
Johannisbeere rot					
Acetamiprid	137	32	0,227	0,039	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	10	2	0,006	0,005	mg/kg
Johannisbeere schwarz					
Acetamiprid	4	2	0,043	0,031	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	1	1	0,019	0,019	mg/kg
Stachelbeere					
Acetamiprid	49	5	0,078	0,027	mg/kg
Tafelweintraube rot					
Acetamiprid	160	18	0,410	0,092	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	25	4	0,013	0,009	mg/kg
Tafelweintraube weiß					
Acetamiprid	233	42	1,100	0,150	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	55	11	0,028	0,011	mg/kg
Heidelbeere; Blaubeere					
Acetamiprid	198	29	0,163	0,035	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	37	5	0,077	0,019	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Apfel				
Acetamiprid	584	66	0,120	0,031 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	91	4	0,023	0,013 mg/kg
Birne				
Acetamiprid	294	62	0,220	0,037 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	44	12	0,014	0,004 mg/kg
Quitte				
Acetamiprid	9	6	0,040	0,019 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	9	1	0,001	0,001 mg/kg
Steinobst				
Acetamiprid	2	2	0,090	0,059 mg/kg
Mirabelle				
Acetamiprid	6	2	0,009	0,009 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	4	1	0,009	0,009 mg/kg
Pfirsich				
Acetamiprid	98	17	0,140	0,036 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	19	5	0,022	0,009 mg/kg
Aprikose				
Acetamiprid	238	42	0,091	0,023 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	32	4	0,024	0,008 mg/kg
Pflaume				
Acetamiprid	240	19	0,056	0,013 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	58	8	0,019	0,005 mg/kg
Nektarine				
Acetamiprid	76	18	0,062	0,015 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	16	7	0,005	0,002 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Süßkirsche				
Acetamiprid	268	188	0,941	0,060 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	24	16	0,017	0,005 mg/kg
Sauerkirsche				
Acetamiprid	7	4	0,220	0,088 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	1	1	0,006	0,006 mg/kg
Orange				
Acetamiprid	278	39	0,118	0,023 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	37	8	0,007	0,003 mg/kg
Mandarine				
Acetamiprid	133	19	0,260	0,046 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	16	2	0,005	0,005 mg/kg
Clementine				
Acetamiprid	133	18	0,095	0,020 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	36	9	0,019	0,007 mg/kg
Zitrone				
Acetamiprid	97	3	0,032	0,012 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	36	2	0,004	0,003 mg/kg
Grapefruit				
Acetamiprid	234	36	0,247	0,042 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	29	4	0,035	0,012 mg/kg
Limette				
Acetamiprid	59	3	0,012	0,005 mg/kg
Pomelo				
Acetamiprid	69	55	0,107	0,037 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	10	10	0,022	0,012 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Kakifrucht					
Acetamiprid	58	4	0,052	0,033	mg/kg
Mango					
Acetamiprid	126	1	0,002	0,002	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	44	2	0,001	0,001	mg/kg
Granatapfel					
Acetamiprid	107	31	0,190	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	40	11	0,030	0,007	mg/kg
Kaktusfeige					
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	8	1	0,005	0,005	mg/kg
Longan					
Acetamiprid	1	1	0,027	0,027	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	1	1	0,004	0,004	mg/kg
2020					
Kopfsalat					
Acetamiprid	88	3	0,690	0,245	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	17	1	0,003	0,003	mg/kg
Feldsalat					
Acetamiprid	188	2	0,039	0,028	mg/kg
Römischer Salat					
Acetamiprid	80	10	0,105	0,034	mg/kg
Endivie					
Acetamiprid	35	4	0,063	0,039	mg/kg
Rosenkohl					
Acetamiprid	107	1	0,010	0,010	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Grünkohl					
Acetamiprid	61	1	0,001	0,001	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	13	1	0,005	0,005	mg/kg
Wirsingkohl					
Acetamiprid	41	1	0,111	0,111	mg/kg
Spinat					
Acetamiprid	59	4	0,160	0,069	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	20	6	0,620	0,109	mg/kg
Petersilienblätter					
Acetamiprid	26	1	0,002	0,002	mg/kg
Schnittlauch					
Acetamiprid	23	1	0,001	0,001	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	8	1	0,003	0,003	mg/kg
Mangold					
Acetamiprid	35	7	0,427	0,155	mg/kg
Eisbergsalat					
Acetamiprid	109	16	0,030	0,014	mg/kg
Eichblattsalat					
Acetamiprid	51	3	0,170	0,073	mg/kg
Dill					
Acetamiprid	3	1	0,450	0,450	mg/kg
Lollo rosso					
Acetamiprid	45	3	0,747	0,341	mg/kg
Lollo bianco					
Acetamiprid	37	3	0,486	0,172	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Rucola					
Acetamiprid	56	11	4,404	0,723	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	15	5	0,038	0,013	mg/kg
Basilikum					
Acetamiprid	11	2	0,081	0,063	mg/kg
Estragon					
Acetamiprid	2	1	0,330	0,330	mg/kg
Kerbel					
Acetamiprid	2	1	0,150	0,150	mg/kg
Koriander					
Acetamiprid	13	1	0,120	0,120	mg/kg
Salbei					
Acetamiprid	1	1	0,300	0,300	mg/kg
Thymian					
Acetamiprid	6	2	0,280	0,215	mg/kg
Kohlrabiblätter					
Acetamiprid	92	6	0,238	0,059	mg/kg
Broccoli					
Acetamiprid	80	2	0,058	0,033	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	8	1	0,001	0,001	mg/kg
Kohlrabi					
Acetamiprid	194	1	0,003	0,003	mg/kg
Artischocke					
Acetamiprid	7	1	0,120	0,120	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,003	0,003	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Tomate				
Acetamiprid	385	11	0,027	0,011 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	71	4	0,018	0,007 mg/kg
Gemüsepaprika				
Acetamiprid	279	23	0,210	0,040 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	66	13	0,110	0,014 mg/kg
Pfefferschote/Peperoni				
Acetamiprid	5	1	1,900	1,900 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,230	0,230 mg/kg
Okraschote				
Acetamiprid	18	2	0,190	0,160 mg/kg
Gurke				
Acetamiprid	385	27	0,110	0,026 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	78	7	0,006	0,003 mg/kg
Kürbis				
Acetamiprid	236	4	0,082	0,044 mg/kg
Melone/Honigmelone				
Acetamiprid	58	2	0,011	0,007 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,002	0,002 mg/kg
Aubergine				
Acetamiprid	74	18	0,071	0,026 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	16	6	0,006	0,003 mg/kg
Zucchini				
Acetamiprid	207	32	0,096	0,024 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	50	14	0,011	0,006 mg/kg
Bohne grüne				

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	193	6	0,039	0,017	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	29	2	0,005	0,004	mg/kg
Erbse mit Schote/Zuckerschote					
Acetamiprid	33	2	0,040	0,027	mg/kg
Chilischote					
Acetamiprid	13	4	0,120	0,074	mg/kg
Netzmelone					
Acetamiprid	9	1	0,011	0,011	mg/kg
Exotische Gemüse					
Acetamiprid	10	1	2,310	2,310	mg/kg
Himbeere					
Acetamiprid	84	3	0,071	0,030	mg/kg
Brombeere					
Acetamiprid	93	12	0,139	0,033	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	10	1	0,004	0,004	mg/kg
Johannisbeere rot					
Acetamiprid	192	22	0,280	0,052	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	29	2	0,007	0,007	mg/kg
Johannisbeere schwarz					
Acetamiprid	4	1	0,020	0,020	mg/kg
Johannisbeere weiß					
Acetamiprid	3	2	0,079	0,045	mg/kg
Stachelbeere					
Acetamiprid	69	7	0,053	0,035	mg/kg
Tafelweintraube rot					

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Acetamiprid	100	9	0,235	0,074 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	15	2	0,002	0,002 mg/kg

Tafelweintraube weiß

Acetamiprid	161	37	0,350	0,079 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	29	6	0,022	0,010 mg/kg

Heidelbeere; Blaubeere

Acetamiprid	205	24	0,310	0,062 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	23	2	0,002	0,002 mg/kg

Apfel

Acetamiprid	550	55	0,250	0,038 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	73	9	0,049	0,012 mg/kg

Birne

Acetamiprid	311	62	0,330	0,042 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	40	4	0,004	0,002 mg/kg

Mirabelle

IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	3	1	0,004	0,004 mg/kg
--	---	---	-------	-------------

Pfirsich

Acetamiprid	164	17	0,290	0,042 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	14	3	0,018	0,009 mg/kg

Aprikose

Acetamiprid	90	15	0,071	0,029 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	10	2	0,005	0,004 mg/kg

Pflaume

Acetamiprid	223	12	0,023	0,009 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	44	3	0,005	0,003 mg/kg

Nektarine

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	106	10	0,051	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	16	4	0,005	0,004	mg/kg
Süßkirsche					
Acetamiprid	217	147	0,350	0,056	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	28	13	0,006	0,003	mg/kg
Sauerkirsche					
Acetamiprid	7	3	0,196	0,112	mg/kg
Avocado					
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	21	1	0,003	0,003	mg/kg
Orange					
Acetamiprid	301	16	0,081	0,029	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	37	1	0,015	0,015	mg/kg
Mandarine					
Acetamiprid	139	14	0,128	0,034	mg/kg
Clementine					
Acetamiprid	184	23	0,047	0,020	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	20	4	0,008	0,004	mg/kg
Zitrone					
Acetamiprid	193	4	0,095	0,029	mg/kg
Grapefruit					
Acetamiprid	121	21	0,188	0,046	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	10	2	0,006	0,005	mg/kg
Satsumas					
Acetamiprid	9	1	0,118	0,118	mg/kg
Limette					
Acetamiprid	121	1	0,003	0,003	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Pomelo					
Acetamiprid	34	23	0,110	0,032	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	2	2	0,016	0,012	mg/kg
Maracuja; Passionsfrucht					
Acetamiprid	31	1	0,002	0,002	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	8	1	0,002	0,002	mg/kg
Kakifrucht					
Acetamiprid	51	1	0,003	0,003	mg/kg
Granatapfel					
Acetamiprid	115	25	0,096	0,020	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	25	7	0,007	0,003	mg/kg
Guave					
Acetamiprid	6	1	0,011	0,011	mg/kg
2019					
Blattgemüse					
Acetamiprid	12	2	0,018	0,016	mg/kg
Kopfsalat					
Acetamiprid	231	20	2,886	0,240	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	51	2	0,010	0,006	mg/kg
Römischer Salat					
Acetamiprid	59	7	0,123	0,049	mg/kg
Endivie					
Acetamiprid	20	2	0,038	0,020	mg/kg
Chinakohl					
Acetamiprid	56	1	0,005	0,005	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Rosenkohl					
Acetamiprid	313	3	0,012	0,008	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	23	2	0,004	0,003	mg/kg
Grünkohl					
Acetamiprid	61	5	0,670	0,185	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	4	1	0,180	0,180	mg/kg
Wirsingkohl					
Acetamiprid	116	5	0,150	0,050	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	15	2	0,001	0,001	mg/kg
Spinat					
Acetamiprid	121	21	1,194	0,245	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	30	4	0,190	0,121	mg/kg
Petersilienblätter					
Acetamiprid	69	3	0,075	0,052	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	17	3	0,041	0,025	mg/kg
Schnittlauch					
Acetamiprid	34	1	0,460	0,460	mg/kg
Eisbergsalat					
Acetamiprid	137	29	0,056	0,017	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	35	2	0,002	0,002	mg/kg
Schnittkohl					
Acetamiprid	1	1	1,645	1,645	mg/kg
Eichblattsalat					
Acetamiprid	38	2	0,004	0,004	mg/kg
Dill					
Acetamiprid	12	2	0,077	0,046	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Lollo rosso				
Acetamiprid	25	3	1,200	0,505 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	6	1	0,033	0,033 mg/kg
Lollo bianco				
Acetamiprid	18	2	0,835	0,432 mg/kg
Rucola				
Acetamiprid	97	22	4,562	0,862 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	16	4	0,076	0,032 mg/kg
Basilikum				
Acetamiprid	207	8	1,700	0,285 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	32	2	0,100	0,051 mg/kg
Estragon				
Acetamiprid	3	3	0,120	0,082 mg/kg
Kerbel				
Acetamiprid	3	2	0,140	0,084 mg/kg
Koriander				
Acetamiprid	22	2	0,270	0,255 mg/kg
Minze				
Acetamiprid	15	2	0,300	0,170 mg/kg
Salbei				
Acetamiprid	7	6	8,200	2,390 mg/kg
Thymian				
Acetamiprid	5	2	1,950	1,185 mg/kg
Pak-Choi auch Pak-Choy				
Acetamiprid	29	6	0,205	0,086 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Kohlrabiblätter					
Acetamiprid	24	1	0,098	0,098	mg/kg
Broccoli					
Acetamiprid	49	1	0,050	0,050	mg/kg
Tomate					
Acetamiprid	573	26	0,114	0,027	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	90	10	0,008	0,004	mg/kg
Gemüsepaprika					
Acetamiprid	445	22	0,350	0,063	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	99	10	0,014	0,005	mg/kg
Pfefferschote/Peperoni					
Acetamiprid	3	1	0,230	0,230	mg/kg
Okraschote					
Acetamiprid	22	2	0,130	0,066	mg/kg
Gurke					
Acetamiprid	244	17	0,074	0,020	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	45	1	0,001	0,001	mg/kg
Melone/Honigmelone					
Acetamiprid	45	4	0,010	0,007	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	14	1	0,001	0,001	mg/kg
Aubergine					
Acetamiprid	101	16	0,110	0,039	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	20	1	0,001	0,001	mg/kg
Zucchini					
Acetamiprid	298	38	0,170	0,030	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	59	13	0,014	0,007	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Bohne grüne				
Acetamiprid	195	4	0,043	0,033 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	57	1	0,012	0,012 mg/kg
Erbse mit Schote/Zuckerschote				
Acetamiprid	52	2	0,019	0,011 mg/kg
Chilischote				
Acetamiprid	37	9	1,470	0,291 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	6	1	0,010	0,010 mg/kg
Wassermelone				
Acetamiprid	20	1	0,016	0,016 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	4	1	0,003	0,003 mg/kg
Netzmelone				
Acetamiprid	12	3	0,006	0,004 mg/kg
Kantalupmelone				
Acetamiprid	15	1	0,001	0,001 mg/kg
Frischgemüsemischungen				
Acetamiprid	1	1	0,037	0,037 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	1	1	0,005	0,005 mg/kg
Exotische Gemüse				
Acetamiprid	11	2	0,032	0,027 mg/kg
Drumstick; Pferderettich (Moringa oleifera)				
Acetamiprid	12	1	0,073	0,073 mg/kg
Frischobst einschließlich Rhabarber				
Acetamiprid	3	1	0,390	0,390 mg/kg
Himbeere				

Nachweisliste (Acetamidrid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamidrid	108	2	0,049	0,030	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	23	1	0,001	0,001	mg/kg
Brombeere					
Acetamidrid	32	1	0,025	0,025	mg/kg
Johannisbeere rot					
Acetamidrid	97	15	0,124	0,064	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	17	3	0,005	0,004	mg/kg
Stachelbeere					
Acetamidrid	85	7	0,080	0,033	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	9	1	0,006	0,006	mg/kg
Tafelweintrabe rot					
Acetamidrid	127	14	0,130	0,038	mg/kg
Tafelweintrabe weiß					
Acetamidrid	265	31	0,750	0,082	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	60	7	0,007	0,004	mg/kg
Heidelbeere; Blaubeere					
Acetamidrid	196	22	0,280	0,071	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	39	4	0,015	0,010	mg/kg
Apfel					
Acetamidrid	632	43	0,055	0,019	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	71	3	0,002	0,002	mg/kg
Birne					
Acetamidrid	288	51	0,120	0,029	mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	30	5	0,004	0,003	mg/kg
Quitte					
Acetamidrid	5	2	0,018	0,011	mg/kg

Nachweisliste (Acetamidrid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Mirabelle				
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	1	1	0,002	0,002 mg/kg
Pfirsich				
Acetamidrid	166	19	0,090	0,021 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	23	2	0,006	0,005 mg/kg
Aprikose				
Acetamidrid	121	10	0,034	0,012 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	14	1	0,004	0,004 mg/kg
Pflaume				
Acetamidrid	358	14	0,022	0,009 mg/kg
Nektarine				
Acetamidrid	149	14	0,085	0,022 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	27	2	0,010	0,007 mg/kg
Süßkirsche				
Acetamidrid	269	195	0,420	0,065 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	22	15	0,011	0,004 mg/kg
Sauerkirsche				
Acetamidrid	14	9	0,220	0,104 mg/kg
Orange				
Acetamidrid	260	4	0,033	0,016 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	40	1	0,001	0,001 mg/kg
Mandarine				
Acetamidrid	63	2	0,020	0,015 mg/kg
IM-2-1, N-desmethyl-acetamidrid, Metabolit von Acetamidrid	7	1	0,004	0,004 mg/kg
Clementine				
Acetamidrid	110	5	0,040	0,024 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert
Zitrone				
Acetamiprid	171	9	0,038	0,019 mg/kg
Grapefruit				
Acetamiprid	65	11	0,170	0,035 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	19	1	0,006	0,006 mg/kg
Pomelo				
Acetamiprid	133	66	0,110	0,027 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	7	3	0,008	0,007 mg/kg
Granatapfel				
Acetamiprid	132	18	0,120	0,020 mg/kg
Karambole; Sternfrucht; Baumstachelbeere				
Acetamiprid	9	1	0,069	0,069 mg/kg
Nashi Birne; Orientalische Birne (Pyrus Pyrofolia)				
Acetamiprid	30	1	0,011	0,011 mg/kg
2018				
Kopfsalat				
Acetamiprid	152	19	0,398	0,058 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	43	6	0,009	0,004 mg/kg
Römischer Salat				
Acetamiprid	42	3	0,440	0,177 mg/kg
Endivie				
Acetamiprid	13	3	0,380	0,147 mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	13	3	0,078	0,028 mg/kg
Chinakohl				
Acetamiprid	62	1	0,017	0,017 mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Rosenkohl					
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	15	1	0,001	0,001	mg/kg
Grünkohl					
Acetamiprid	122	7	1,700	0,427	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	32	2	0,016	0,016	mg/kg
Wirsingkohl					
Acetamiprid	64	8	0,101	0,025	mg/kg
Spinat					
Acetamiprid	117	21	1,600	0,214	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	22	5	4,800	1,192	mg/kg
Petersilienblätter					
Acetamiprid	246	16	0,296	0,052	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	53	2	0,025	0,017	mg/kg
Schnittlauch					
Acetamiprid	46	2	0,340	0,204	mg/kg
Mangold					
Acetamiprid	39	4	0,120	0,062	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	12	2	0,015	0,014	mg/kg
Eisbergsalat					
Acetamiprid	133	16	0,052	0,013	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	39	2	0,002	0,002	mg/kg
Eichblattsalat					
Acetamiprid	31	2	0,073	0,037	mg/kg
Dill					
Acetamiprid	16	1	0,067	0,067	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Lollo rosso					
Acetamiprid	25	1	0,009	0,009	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	1	0,003	0,003	mg/kg
Lollo bianco					
Acetamiprid	19	3	0,320	0,118	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	3	1	0,034	0,034	mg/kg
Rucola					
Acetamiprid	201	22	2,454	0,434	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	33	5	0,079	0,040	mg/kg
Basilikum					
Acetamiprid	25	3	0,160	0,109	mg/kg
Estragon					
Acetamiprid	3	2	1,500	0,820	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	2	1	0,021	0,021	mg/kg
Kerbel					
Acetamiprid	7	7	0,400	0,186	mg/kg
Koriander					
Acetamiprid	29	1	0,037	0,037	mg/kg
Minze					
Acetamiprid	17	4	0,230	0,121	mg/kg
Rosmarin					
Acetamiprid	9	2	0,160	0,099	mg/kg
Salbei					
Acetamiprid	2	1	0,740	0,740	mg/kg
Thymian					

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	10	2	1,200	0,780	mg/kg
Oregano wilder Majoran					
Acetamiprid	1	1	0,013	0,013	mg/kg
Kohlrabiblätter					
Acetamiprid	17	11	2,158	0,531	mg/kg
Broccoli					
Acetamiprid	157	1	0,020	0,020	mg/kg
Kohlrabi					
Acetamiprid	108	2	0,010	0,010	mg/kg
Spargel grün					
Acetamiprid	72	1	0,039	0,039	mg/kg
Tomate					
Acetamiprid	363	21	0,340	0,046	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	89	8	0,010	0,005	mg/kg
Gemüsepaprika					
Acetamiprid	460	26	0,235	0,048	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	118	7	0,009	0,004	mg/kg
Okraschote					
Acetamiprid	25	5	0,528	0,341	mg/kg
Gurke					
Acetamiprid	203	11	0,080	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	47	1	0,005	0,005	mg/kg
Kürbis					
Acetamiprid	29	1	0,034	0,034	mg/kg
Melone/Honigmelone					

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	27	8	0,029	0,007	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	23	2	0,002	0,002	mg/kg
Aubergine					
Acetamiprid	237	43	0,240	0,051	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	49	8	0,006	0,003	mg/kg
Zucchini					
Acetamiprid	218	33	0,090	0,034	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	36	5	0,028	0,012	mg/kg
Bohne grüne					
Acetamiprid	183	4	0,042	0,024	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	48	1	0,001	0,001	mg/kg
Erbse mit Schote/Zuckerschote					
Acetamiprid	33	2	0,020	0,012	mg/kg
Chilischote					
Acetamiprid	53	26	0,225	0,061	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	9	4	0,046	0,024	mg/kg
Wassermelone					
Acetamiprid	192	7	0,020	0,007	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	27	3	0,001	0,001	mg/kg
Himbeere					
Acetamiprid	90	4	0,031	0,009	mg/kg
Brombeere					
Acetamiprid	39	2	0,047	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	17	1	0,001	0,001	mg/kg
Johannisbeere rot					
Acetamiprid	95	16	0,270	0,069	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	24	6	0,009	0,004	mg/kg
Johannisbeere schwarz					
Acetamiprid	5	1	0,008	0,008	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	2	1	0,004	0,004	mg/kg
Stachelbeere					
Acetamiprid	80	6	0,110	0,038	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	7	1	0,009	0,009	mg/kg
Tafelweintraube rot					
Acetamiprid	146	20	0,220	0,057	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	11	1	0,004	0,004	mg/kg
Tafelweintraube weiß					
Acetamiprid	334	19	0,180	0,059	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	39	3	0,006	0,005	mg/kg
Heidelbeere; Blaubeere					
Acetamiprid	165	11	0,130	0,040	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	36	1	0,001	0,001	mg/kg
Apfel					
Acetamiprid	567	30	0,090	0,026	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	80	6	0,005	0,003	mg/kg
Birne					
Acetamiprid	284	54	0,100	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	52	4	0,004	0,002	mg/kg
Quitte					
Acetamiprid	5	1	0,002	0,002	mg/kg
Mirabelle					
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	3	1	0,002	0,002	mg/kg

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Pfirsich					
Acetamiprid	155	4	0,019	0,012	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	21	1	0,002	0,002	mg/kg
Aprikose					
Acetamiprid	275	14	0,082	0,030	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	41	1	0,001	0,001	mg/kg
Pflaume					
Acetamiprid	313	11	0,020	0,007	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	71	3	0,003	0,002	mg/kg
Nektarine					
Acetamiprid	139	12	0,023	0,013	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	29	4	0,006	0,003	mg/kg
Süßkirsche					
Acetamiprid	205	116	0,340	0,068	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	23	9	0,004	0,002	mg/kg
Sauerkirsche					
Acetamiprid	7	7	0,150	0,063	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	3	3	0,006	0,004	mg/kg
Avocado					
Acetamiprid	37	1	0,002	0,002	mg/kg
Orange					
Acetamiprid	230	3	0,042	0,018	mg/kg
Mandarine					
Acetamiprid	98	3	0,065	0,025	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	12	1	0,006	0,006	mg/kg
Clementine					

Nachweisliste (Acetamiprid & IM-2-1*, 2018-2021)

	#Tests	#Nachweise	Max.	Gehalt Mittelwert	
Acetamiprid	167	9	0,086	0,039	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	25	4	0,005	0,003	mg/kg
Grapefruit					
Acetamiprid	225	29	0,320	0,083	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	41	5	0,012	0,004	mg/kg
Limette					
Acetamiprid	87	1	0,016	0,016	mg/kg
Pomelo					
Acetamiprid	34	18	0,049	0,019	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	5	2	0,002	0,002	mg/kg
Papaya					
Acetamiprid	59	2	0,016	0,014	mg/kg
Granatapfel					
Acetamiprid	66	6	0,130	0,030	mg/kg
IM-2-1, N-desmethyl-acetamiprid, Metabolit von Acetamiprid	32	3	0,001	0,001	mg/kg